



## Germany warehouse DDP fast shipping 3.2v 280ah lifepo4 battery

### Our Product Introduction

for more products please visit us on [enookbattery.com](http://enookbattery.com)

#### Basic Information

- Place of Origin: china
- Brand Name: enook
- Model Number: 3.2V Lifepo4 Lithium Ion Battery



#### Product Specification

- Capacity: Customized
- Standard Rating Cycle: 2000 (0.5C/0.5C)
- Storage Temperature: 0 ~35
- Battery Type: 3.2V 100Ah Lifepo4 Battery
- OEM/ODM: Yes(Accepted)
- Standard Charge-discharge Rate: 0.5C(P)
- Size: 118.5(H)\*160(W)\*50.1(T)
- Discharging Temperature: -35 ~65
- Highlight: Germany warehouse lifepo4 battery, 280ah lifepo4 battery, 3.2v lifepo4 battery



#### More Images



## Product Description

### Product Description:

The battery comes in a durable ABS/Metal Case, which helps to protect it from damage and ensure that it continues to function at its best for years to come. Alternatively, customers can choose to have the battery packaged in a customized case to suit their specific needs. This flexibility makes the battery an ideal choice for a wide range of applications, from industrial and commercial use to personal and recreational applications.

One of the key features of this battery is its ability to be customized to meet the specific needs of the customer. The battery is available for OEM/ODM customization, which means that customers can specify the exact requirements they need for their project or application. This level of customization ensures that the battery is perfectly tailored to meet the needs of the customer, providing the best possible performance and longevity.

The battery has a standard charge-discharge rate of 0.5C(P), which ensures that it can be charged and discharged at a steady and reliable rate. This helps to maintain the battery's performance over time, ensuring that it continues to provide reliable power for years to come. The battery also has a standard rating cycle of 2000 (0.5C/0.5C), which means that it is capable of providing exceptional performance and longevity over a long period of time.

The LifePo4 Lithium Ion Battery is available in a range of different sizes and weights, with options ranging from approximately 4.0~40.0kg. This flexibility ensures that customers can find a battery that is perfectly suited to their needs, no matter what the application. With its exceptional performance, reliability, and versatility, the LifePo4 Lithium Ion Battery is an ideal choice for anyone looking for a high-quality battery that will provide reliable power for years to come.

# Overseas warehouses

Product  
Advantages



Lifepo4 battery  
3.2V 304A



12V & 24V SERIES  
ENERGY STORAGE LITHIUM  
BATTERY



Solar LiFePO4  
B5.12KW 51.2V  
100Ah 200Ah atttery



**24 Hours**  
Online Support



**DDP**  
Tax-Free Shipping



**3-7 Days**  
Swift Delivery


## Ultra-long Life Cycle

Product  
Advantages

Up to **5000** Cycles  
Capacity Retention  $\geq$  **80%**

**304A**  
Capacity

**3.2V**  
Voltage



## Lifepo4 battery 3.2V 304A

Product  
Advantages



Automated



Ultra-Safe



Stable



Customized  
Custom-made



Super Long



Environmentally  
Friendly

### Features:

Product Name: LifePo4 Lithium Ion Battery

Package: ABS/Metal Case Or OEM

Capacity: Customized

Voltage: Customized

Weight: 1920±100G

Standard Rating Cycle: 2000 (0.5C/0.5C)

Technical Parameters:

Model	LF304	LF280	LF230
Nominal capacity	304Ah	280Ah	230AH
Typical voltage	3.2V	3.2V	3.2V
Max Charge voltage	3.65V	3.65V	3.65V
AC impedance resistance (1KHz)	≤0.25mΩ	≤0.25 mQ	≤0.25mΩ
Charging temperature	0 ~55		
Weight	5.5KG	5.3kg	4.3kg
Dimension	208*173*72mm	200*173*72mm	174*54*207mm
Grade	Grade A & Brand New with Original QR Code		
Cycle Times	>6000 Cycle Times		
Warranty	5 years warranty		

Applications:

One common application is as a lithium E-bike battery for electric bike/mountain bike/motorcycle/bicycle. The enook battery provides a long-lasting and powerful energy source for your bike, allowing you to travel further and tackle more challenging terrain. The battery is also easy to remove, making it convenient for charging and transportation.


The enook Lifepo4 Lithium Ion Battery is also suitable for other power-related needs. With customized voltage options, this battery can be used for solar power storage, backup power supplies, and more. The battery's storage temperature ranges from 0 to 35 , ensuring that it can be stored and used in a variety of environments.

The enook 3.2V Lifepo4 Lithium Ion Battery comes in a package of either ABS/Metal Case or OEM, depending on your preference. Whatever your power needs may be, the enook battery is a reliable and high-quality choice for all occasions and scenarios.

**Grade A**

**280AH**

**Long Cycle**



207MM including stud height

**Laser welding studs are  
more convenient  
and firmer to assemble.**



Negative Electrode



Explosion-Proof Valve



Complete QR Code



Positive Electrode

#### **Customization:**

Looking for a customized 60v battery pack? Look no further than enook's 3.2V Lifepo4 Lithium Ion Battery. Our batteries are made in China and we accept OEM/ODM orders. We can customize the voltage and capacity to meet your specific needs. With a weight of  $1920 \pm 100\text{G}$  and a standard charge-discharge rate of  $0.5\text{C(P)}$ , our batteries are a reliable and efficient power source for a variety of applications. Let us help you create the perfect 60v battery pack for your project.

**Grade A 100% Brand New with Original QR code !!!!!**



QR CODE Scanner  
VERIFIED QR CODE

# Decoder

Product Advantages

### Enook LiFePO4 Battery Decoder

04QCB13T70600TDCX0007624

DECODER

Code Check...

Code: 04Q-CB-13T70-600TD-CX000-7624

Code seems right.

Code length is right.

Manufacturer:

Product Type: Battery Cell

Battery Type: LiFePO4

Nominal Capacity: 314Ah

Nominal Voltage: 3.2V

Production Date: 11/Mar/2024

Manufacturer Website:

序号	条码	容量(Ah)	OCV(V)	R1(Aohm)	档位	箱号	板板	组别
1	04QCB13T70600TDCX0007624	163.3458	3.262	0.40	Ge1j	18JTM202404240640	18JTB202404240273	1
2	04QCB13T70600TDCX0007624	163.0892	3.262	0.40	Ge1j	18JTM202404240640	18JTB202404240273	1
3	04QCB13T70600TDCX0007624	163.0922	3.262	0.40	Ge1j	18JTM202404240640	18JTB202404240273	1
4	04QCB13T70600TDCX0007624	163.2086	3.262	0.40	Ge1j	18JTM202404240640	18JTB202404240273	1
5	04QCB13T70600TDCX0007624	163.0950	3.262	0.40	Ge1j	18JTM202404240640	18JTB202404240273	1

序号	条码	容量(Ah)	OCV(V)	R1(Aohm)	档位	箱号	板板	组别
1	04QCB13T70600TDCX0007624	163.3458						
2	04QCB13T70600TDCX0007624	163.0892						
12	04QCB13T70700TDCX00011700	163.1656	3.264	0.40	Ge1j	18JTM202404240640	18JTB202404240273	1
13	04QCB13T70700TDCX00012285	163.4258	3.264	0.40	Ge1j	18JTM202404240640	18JTB202404240273	1
14	04QCB13T70700TDCX00012303	163.9674	3.264	0.40	Ge1j	18JTM202404240640	18JTB202404240273	1

### Support and Services:

#### ★ Source Factory & Direct Distributor:

We are **direct distributors** for **EV, CATL, LISHEN, CALB, and REPT** batteries.

All batteries are **100% original Grade A and brand new**.

We maintain weekly fresh stock with newly produced cells, ensuring **long-term supply** for your projects without **worrying about stock availability**.

#### ★ Guaranteed Quality Service:

We guarantee **100% tested batteries**, ensuring **strict testing before shipment** with **matched voltage and IR**. We welcome **QC checking** and **online video checking** before shipping.

#### ★ Fully Warranty Service Guaranteed:

**BASENGREEN** has **self-operated overseas warehouses** and **repair centers** in Poland and Germany, providing 100% product usage guidance and technical support. For products confirmed to have **non-artificial quality issues**, we offer complete after-sales service, ensuring **worry-free shopping** for you.

#### ★ OEM / ODM Supported:

With an experienced team of **energy storage structural and software engineers**, we offer

**flexible customization services. Additionally, our marketing team provides one-on-one support, offering a full range of marketing solutions and services to help you expand your business in local markets.**



**Changsha Enook Technology Co., Ltd**



+8617752866093



wendy@enooktech.com



enookbattery.com

ROOM 1717,JIEZUO BUILDING, NO. 828, SECTION 1, FURONG SOUTH ROAD, TIANXIN DISTRICT,  
CHANGSHA, HUNAN